

TORO Count on it.

Greensmaster® 3250-D Accessories

Greensmaster 3250-D

There has never been a riding greens mower with more versatility than the Greensmaster 3250-D. With ample power and a wide variety of attachments and accessories, the Greensmaster 3250-D delivers the highest quality of cut on varying course conditions and mowing applications.



Greensmaster 3250-D | 04383


- Lightweight, 15.7 kW (21 hp) rated, diesel riding greens mower with reduced simplified maintenance and excellent performance on and around greens

Traction Unit Accessories



3-Wheel Drive Kit | 04475

- Features the patented Series/Parallel System for positive traction on side and uphill operations
- Power guaranteed to the wheel that needs it the most
- ROPS Kit included to protect operator from injury in case of roll over situations



Thatching Reel Kit | 04496

- Vertically cuts into turf to reduce thatch and control horizontal grass growth
- Contains tungsten carbide tip dynaBLADES with a durable tooth profile for extremely effective dethatching
- Tungsten carbide tip blades provide a cleaner cut, increase thatch removal, and increase life of blades



Greens Spiker Kit | 04494

- Aeration attachment
- Used to relieve soil compaction, control organic matter, and maintain turf health



Greens Tri-Roller Kit | 04495

- Used to roll greens and smooth surface of turf for an improved after cut appearance

Greensmaster® 3250-D Accessories

Traction Unit Accessories (continued)



Regular dynaBLADES | 106-6392 (set of 108)

- Replacement tungsten carbide tip dynaBLADES for thatching reel kit
- 2 mm thick, tooth profile blades allow topdressing to penetrate into turf canopy
- Often used on higher growth conditions, such as tee boxes or aprons surrounding greens

Thin dynaBLADES | 106-5422

- Thinner tooth profile dynaBLADES for thatching reel kit
- Used for finer, more accurate dethatching on delicate greens



Thatching Reel Rear Roller Asm | 95-5943

- Replace rear support buggy wheels, used on heavily undulated greens
- Less depth penetration

Thatching Reel Rear Roller Scraper | 95-1600

- Scraper bar used to clear the thatching reel rear roller of grass clippings and debris

Armrest Kit | 30707

- Provides additional operator comfort



Traction Tires | 99-4506

- 4-Ply 20x10-8
- Studded tire that provides improved traction
- Use on hilly wet, or uneven terrain on off-greens applications



Light Kit | 04551

- Allows operator to mow in low light conditions



Hydraulic Oil Cooler | 104-7701

- Used in extreme climates to regulate hydraulic oil temperature
- Fits Serial Numbers 210000505 and up



Wheel Weight Kit | 112-0279

- Weight added to wheel rims for increased traction

ROPS Kit | 04552

- Structure that protects operator from injury in roll over situations

Hose Adapter Kit | 100-6430

- Moves the number 3 cutting unit reel motor to the right side of the cutting unit to allow all three cutting units to be interchangeable

Ground Following Suspension Kit | 104-9400

- Transforms the suspension on the GR3250-D into that of the suspension system on the GR3150-Q



Hydraulic Oil Leak Detector | 04497

- Detects hydraulic oil leaks
- Alerts operator if leak exists to safely transport mower off the greens or fairway without damaging grass



High Air Intake Radiator Screen | 105-9766

- Screen on radiator to increase air flow
- Avoids clogging of radiator
- Use for thatching in dusty conditions

Spark Arrestor Screen | 94-8157

- Prevents sparks from emitting from engine

Greensmaster® 3250-D Accessories

Cutting Unit & Reel Options



8-Blade Cutting Unit | 04610

- Designed for mowing on higher heights of cut, such as approaches, fairways or tee boxes
- Heights of cut above 9.5 mm (3/8")



11-Blade Cutting Unit | 04611

- Designed for mowing on lower heights of cut
- Use on greens and tee boxes up to 9.5 mm (3/8")



14-Blade Cutting Unit | 04616

- Use for extremely fine greens mowing
- Best for use at heights of cut under 2.5 mm (.1")
- Available Spring 2010



5-Blade Heavy-Duty Reel | 106-2626

- More robust reel for mowing on rough surfaces
- Used for heights of cut above 19 mm (3/4") on fairways and other off-greens applications



8-Blade Heavy-Duty Reel | 107-9522

- More robust reel for mowing rough surfaces
- Used for heights of cut above 9.5 mm (3/8") on fairways and other off-greens applications



14-Blade Reel | 115-5370

- Use for extremely fine greens mowing
- Best for use at heights of cut under 2.5 mm (.1")

Bedknife & Bedbar Options



Microcut Bedknife | 93-4262

- Height of cut range 1.6 – 4.8 mm (1/16" – 3/16")
- Thinner blades for the most precision and accuracy at lower heights of cut

Tournament Bedknife | 93-4263

- Height of cut range 3.2 – 12.7 mm (1/8" – 1/2")
- Recommended for heights of cut above 3.2 mm (1/8")
- Standard equipment on 04610/04611

Low Cut Bedknife | 93-4264

- Height of cut range 4.8 – 25.4 mm (3/16" – 1.0")
- Use for mowing greens, tees, or aprons surrounding greens

High Cut Bedknife | 94-6392

- Height of cut range 7.9 – 25.4 mm (5/16" – 1.0")
- Thicker blade for higher heights of cut, such as tees and aprons surrounding greens

Fairway Bedknife | 63-8600

- Height of cut range 9.5 – 25.4 mm (3/8" - 1")

Extended Microcut Bedknife | 108-4303

- Height of cut range 1.6 – 4.8 mm (1/16" – 3/16")
- Use in high stress conditions and on soft turf to prevent scalping
- Recommended for use with aggressive bedbar in case of scalping tendencies

Extended Tournament Bedknife | 108-4302

- Height of cut range 3.2 – 12.7 mm (1/8" – 1/2")
- Use in high stress conditions and on soft turf to prevent scalping
- Recommended for use with aggressive bedbar in case of scalping tendencies

EdgeMax™ Microcut Bedknife | 115-1880

- Height of cut range 1.6 – 4.8 mm (1/16" – 3/16")
- Tool steel bedknife for extended wear and increased edge retention

EdgeMax Tournament Bedknife | 115-1881

- Height of cut range 3.2 – 12.7 mm (1/8" – 1/2")
- Tool steel bedknife for extended wear and increased edge retention

EdgeMax Fairway Bedknife | 112-7475

- Height of cut range 9.5 – 25.4 mm (3/8" – 1.0")
- Tool steel bedknife for extended wear and increased edge retention
- 7-hole mount, fits all DPA cutting units



Aggressive Bedbar | 99-3794-03

- Designed for firm greens where a more efficient, aggressive cut is needed for more aggressive cultivars
- Not recommended for use in soft turf conditions or periods of high stress



High Height of Cut Kit | 106-4699

- Enables heights of cut up to 23.8 mm (.94")

Greensmaster® 3250-D Accessories

Roller Options



Front Narrow Wiehle Roller | 04626 (set of 3)

- 5 mm (.2") groove spacing, Aluminum
- 5 cm (2") diameter
- Slightly more turf penetration than the full roller
- Use in normal greens mowing conditions



Solid Steel Roller Kit | 04628 (Front Wiehle & Rear Steel Rollers)

- Use on puffy fairways to control bobbing marks
- Adds weight to stabilize cutting unit over rough surfaces
- Kit includes one steel front Wiehle roller and one steel rear roller



Rear Roller Adjustment Kit | 114-4630

- Eccentric bolt used to precisely level rear roller



Front Wide Wiehle Roller | 04627 (set of 3)

- 2.4 cm (.93") groove spacing, Aluminum
- Highest penetration into turf
- Use for mowing higher heights of cut, e.g. fairways and approaches
- Use for areas which are infrequently cut, allowing longer grass blades to stand up before cutting



Anti-Bobbing Roller | 04629

- Patented design with unprecedented results to reduce bobbing and reduce bobbing marks
- Use for off-greens, fairway, and aprons applications

DPA Rear Roller Brush Adaptor Kit | 114-4631

- Used in combination with Anti-Bobbing Roller
- Check parts catalog manual, may not be required with newer models

Steel Rear Roller | 106-6945

- Replacement rear roller



Front Full Roller | 04625 (set of 3)

- Steel
- Use on soft greens or high stress conditions to prevent thinning on clean-up cut



Cast Iron Rear Wiehle Roller | 71-1550

- 5 cm (2") diameter. Cast Iron
- Special greens application to maximize turf penetration
- May improve aftercut appearance in off-greens applications if clumping is a problem

Note: Used in greens applications, the Cast Iron Rear Wiehle Roller may leave grooved roller marks

Steel Narrow Wiehle Roller | 107-3510

- Adds weight to stabilize cutting unit over rough surfaces
- Single, replacement roller



DPA Rear Roller Extension Kit | 112-9294

- Moves rear roller back to reduce clipping build-up between the rear roller and bed bar
- Helps avoid clumping

Scraper Options




Narrow Wiehle Roller Scraper | 108-6468

Wide Wiehle Roller Scraper | 110-3961

Full Roller Scraper | 110-3962

- Narrow Wiehle, wide Wiehle, and full roller scrapers clear rollers of dirt, grass, and debris buildup that may impact height of cut



Rear Roller Scraper | 04646 (set of 3)

- Requires adjustment to slightly touch turf for self cleaning
- Spring loaded, maintains contact with rear roller



Narrow Wiehle Roller Scraper Brush | 110-3963

Wide Wiehle Roller Scraper Brush | 110-3464

Full Roller Scraper Brush | 110-3965

- Scraper brushes condition the surface of turf before cutting, while clearing rollers of dirt, grass, and debris buildup.

Rear Roller Scraper | 112-9353

- Adjustable scraper that clear rollers of dirt, grass, and debris buildup that may impact height of cut



Narrow Wiehle Roller Scraper Comb | 110-396

Wide Wiehle Roller Scraper Comb | 110-3967

Full Roller Scraper Comb | 110-3968

- Scraper combs condition the surface of turf before cutting, while clearing rollers of dirt, grass, and debris buildup.

Anti-Bobbing Roller Scraper Kit | 107-9561

- Requires adjustment to slightly touch turf for self cleaning
- Scraper bar that clears Anti-Bobbing roller used to reduce grass buildup, which can impact height of cut settings

Greensmaster® 3250-D Accessories

Groomer Options



Groomer | 04635 (Set of 3)

- Maximum cutting height up to 19 mm (3/4"), maximum grooming height up to 16 mm (5/8")
- Grooming range increased for fairway and other off-greens applications
- Replaces groomer - 04632 (set of 3)

Grooming Brush | 117-1500

(Replaces 112-9640)

- Less aggressive grooming option
- Conditions turf to stand grass blades up for a crisp, clean cut
- Use with 04634 or 04635



Rotating Rear Roller Brush | 04641

- Prevents grass clumping on turf
- Clears rear roller of grass buildup

Additional Accessories



Turf Evaluator | 04399

- Mirror device used to assess turf conditions

SHIM | 106-6923

- Used to level rear roller of cutting unit

Extended Grass Shield | 107-3503-01

- Longer grass shield used to improve grass collection on DPA cutting units
- Mainly used in very dry turf conditions
- Covers rear of cutting unit main frame to protect it from collecting pebbles

Maintenance Value Performance Kit – Hydraulic Hoses | 117-2721

- Complete set of replacement hoses to connect reel motors to machine

Note: DPA Cutting units on traction units F'03 and older require:

GR3250-D

Lift Hook – 1 @ part # 110-2397

Screws – 2 @ part # 33115-025